



Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

Bengalla Mine

Environment Protection Licence 6538 Monthly Monitoring Data Summary

February 2018



Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

Contents

1.	INTRODUCTION	1
	AIR QUALITY	
	SURFACE WATER	
	NOISE	
	BLASTING	
Та	bles	
Tab	le 1. PM10 Monitoring Summary	3
Tab	le 2. Noise – Bengalla Only¹ LAeq (15 minute) Monitoring Summary	7
Tab	le 3. Blast Overpressure Monitoring Summary	9
	le 4. Blast Vibration Monitoring Summary	



Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

1. INTRODUCTION

Environmental Protection Licence (EPL) holders are required under the *Protection of the Environment Operations Act 1997* to make publicly available their monitoring results for those parameters specified in the EPL. This document has been prepared to satisfy this requirement.

Bengalla Mining Company Pty Limited's (BMC) operations are conducted in accordance with EPL 6538. The licence details are as follows:

License Holder: Bengalla Mining Company Pty Limited

Licence Number: 6538

Premises: Bengalla Mine

Bengalla Road via

Muswellbrook NSW 2333

Access to Licence: http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=6538&id=6538&

option=licence&searchrange=licence&range=POEO

licence&prp=no&status=Issued

Monitoring Locations: See main text and Appendix A

This document provides a summary of environmental monitoring data sampled as prescribed by EPL 6538 for February 2018 (Reporting Period). Monitoring data provided is as follows:

Air quality, particulate matter less than 10 microns (PM₁₀);

- Surface water, including discharge mine water, conductivity, total suspended solids and pH;
- Noise; and
- Blast vibration and overpressure.

Monitoring Data Obtained: 28 February 2018

Monitoring Data Published: 4 April 2018

BENGALLA

Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

2. AIR QUALITY

Under EPL 6538 BMC is required to continuously record the average PM_{10} concentration at EPA Monitoring Points 22, 23 and 24 at intervals of 10 minutes. As per Condition E1.1, BMC commenced monitoring at these EPA Monitoring Points on 31 August 2017.

 PM_{10} data for the Reporting Period is provided in **Table 1**.

2.1 Particulate Matter less than 10 Microns

Pollutant:	PM ₁₀
Unit of measure:	Micrograms per cubic metre (μg/m3)
Monitoring location:	See Table 1 and Appendix A.
Monitoring frequency required by licence:	10 minute intervals
Sampled:	01/02/2018 – 28/02/2018



Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

Table 1. PM10 Monitoring Summary

Sampling point		No. of samples required by licence	required by collected and		Maximum sample value	Monthly mean of sample
EPA22	Lumeah Dairy, Bengalla Road, Muswellbrook	4,032	4,029	0	91	9
EPA23	Wybong Road (East), Muswellbrook	4,032	4,030	0	97	12
EPA24	Wybong Road (West), Muswellbrook	4,032	3,875	0	57	11

BENGALLA

Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

3. SURFACE WATER

BMC participates in the Hunter River Salinity Trading Scheme (**HRSTS**). In accordance with EPL 6538, BMC maintains two monitoring locations to measure concentration, volume and mass of mine water discharges (see **Appendix B**).

3.1 Mine	Water
----------	-------

Pollutant:	Mine water
Unit of measure:	Mega litres per day (ML/day)

Monitoring location: EPA01 – Outlet pipe from 280 ML HRSTS storage dam.

Monitoring frequency required by

licence:

Continuous during all discharge events.

Volume/mass limit: 200 ML/day

Sampled: Not applicable. During the Reporting Period, Bengalla did not

discharge any mine water under the HRSTS.

3.2 Conductivity

Pollutant: Conductivity

Unit of measure: Microsiemens per centimetre (µS/cm)

Monitoring location: EPA1 – Outlet pipe from 280 ML HRSTS storage dam.

EPA2 – Tributary monitoring point in Dry Creek downstream

of EPA1.

Monitoring frequency required by licence: Continuous during all discharge events (EPA01); Two times

daily during discharge (EPA02).

Sampled: Not applicable. During the Reporting Period, Bengalla did

not discharge any mine water under the HRSTS.

BENGALLA

Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

3.3 Total suspended solids and pH

Pollutants: pH and Total suspended solids (TSS)

Unit of measure: pH and Milligrams per litre (mg/L)

Monitoring location: EPA01 – Outlet pipe from 280 ML HRSTS storage dam.

Monitoring frequency required by licence: Daily during all discharge events

pH limit: $6.5 - 9.5 (100^{th} \text{ percentile})$

TSS limit: 120 (100th percentile)

Sampled: Not applicable. During the Reporting Period, BMC did not

discharge any mine water under the HRSTS.



Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

1. NOISE

In accordance with EPL 6538, BMC undertakes compliance attended noise monitoring for 15minutes once per calendar month during the night period (10 pm to 7 am) at three locations representative of the nearest private receivers.

Noise monitoring data for the Reporting Period is provided in Table 2.

Pollutant: Noise – Bengalla Only

Unit of measure: LAeq (15 minute)

Monitoring locations: See Table 2 and Appendix C.

Monitoring frequency required by licence: Monthly

EPA7/AN01 limit: 35 dB(A)

EPA9/AN04 limit: 35 dB(A)

EPA8/AN03 limit: 40 dB(A)

Sampled: 16 February 2018



BENGALLA

Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

Table 2. Noise – Bengalla Only¹ LAeq (15 minute) Monitoring Summary

Sampling point	No. of samples required by licence	No. of samples taken and analysed	Sample Date	Sample Time	Measured value
EPA07/AN01	1	1	16/02/18	00:09	26
EPA08/AN03	1	1	16/02/18	01:11	<35
EPA09/AN04	1	1	16/02/18	01:48	25

Note:

For the Reporting Period noise data were compliant with the EPL 6538 limits.

^{1.} LAeq,15minute operational noise levels for Bengalla in the absence of all other noise sources.

BENGALLA

Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

5. BLASTING

In accordance with EPL 6538, BMC maintains a network of three blast monitors on private (non-mine owned) land to measure air-blast overpressure and ground vibration for all blasts events undertaken at Bengalla.

Overpressure and ground vibration data for the Reporting Period is provided in Tables 3 and 4.

Pollutant: Air blast overpressure & ground vibration peak particle velocity

Unit of measure: dB (Lin Peak) and millimetres per second (mm/s)

Monitoring locations: See Table 3, Table 4 and Appendix C.

Monitoring frequency required by licence:

All blasts

Overpressure limits: a) 115 linear decibels (dB(L)) for more than 5% of the total number of blasts

carried out on the premises within the 12 months annual reporting period;

and

b) 120 dB(L) at any time

Ground vibration limits: a) exceed 5 millimetres/second (mm/s) for more than 5% of the total number

of blasts carried out on the premises within the 12 months annual reporting

period; and

b) 10mm/s at any time

Sampled: 01/02/2018 – 28/02/2018



Bengalla Road, (Locked Mailbag 5) Muswellbrook NSW 2333 Australia A.B.N. 32 053 909 470

Table 3. Blast Overpressure Monitoring Summary

Sampling point	Pollutant	Unit of measure	No. of samples required by licence	No. of samples collected and analysed	Minimum value	Maximum value	Mean of samples
BLK (EPA20)	Overpressure	dB(L)	All blast events	10	84.20	102.50	93.79
SCH (EPA19)	Overpressure	dB(L)	All blast events	10	81.10	99.70	89.85
MRE (EPA12)	Overpressure	dB(L)	All blast events	10	88.20	112.30	98.05


Table 4. Blast Vibration Monitoring Summary

Sampling point	Pollutant	Unit of measure	No. of samples required by licence	No. of samples collected and analysed	Minimum value	Maximum value	Mean of samples
BLK (EPA20)	Ground vibration	mm/s	All blast events	10	0.03	0.59	0.29
SCH (EPA19)	Ground vibration	mm/s	All blast events	10	0.02	0.51	0.20
MRE (EPA12)	Ground vibration	mm/s	All blast events	10	0.07	5.53	2.21

For the Reporting Period, overpressure and ground vibration data were below the maximum limit and within the 5% allowance limit.

Appendix A

EPL 6538 Particulate Matter Monitoring Locations








Appendix B

EPL 6538 Surface Water Monitoring Locations







Appendix C

EPL 6538 Noise and Blast Monitoring Locations

