



ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

## **Bengalla Mine**

## Environment Protection Licence 6538 Monthly Monitoring Data Summary

January 2022





ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

### Contents

1.	INTRODUCTION	3
2.	AIR QUALITY	4
	SURFACE WATER	
4.	NOISE	8
5.	BLASTING	. 10

### Tables

5
6
7
7
9
.11
.11



ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

### 1. INTRODUCTION

BENGALLA

Environmental Protection Licence (EPL) holders are required under the *Protection of the Environment Operations Act 1997* to make publicly available their monitoring results for those parameters specified in the EPL. This document has been prepared to satisfy this requirement.

Bengalla Mining Company Pty Limited's (BMC) operations are conducted in accordance with EPL 6538. The licence details are as follows:

License Holder:	Bengalla Mining Company Pty Limited
Licence Number:	6538
Premises:	Bengalla Mine
	Bengalla Road via
	Muswellbrook NSW 2333
Access to Licence:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=6538&id=6538& option=licence&searchrange=licence⦥=POEO licence&prp=no&status=Issued
Monitoring Locations:	See main text and Appendix A

This document provides a summary of environmental monitoring data sampled as prescribed by EPL 6538 for January 2022 (Reporting Period). Monitoring data provided is as follows:

- Air quality, particulate matter less than 10 microns (PM<sub>10</sub>);
- Surface water, including discharge mine water and effluent water;
- Noise; and
- Blast vibration and overpressure.





ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

### 2. AIR QUALITY

Under EPL 6538 BMC is required to continuously record the average  $PM_{10}$  concentration at EPA Monitoring Points 22, 23 and 24 at intervals of 10 minutes. As per Condition M2.2, BMC commenced monitoring at these EPA Monitoring Points on 31 August 2017.

 $PM_{10}$  data for the Reporting Period is provided in **Table 1**.

#### 2.1 Particulate Matter less than 10 Microns

Pollutant:	PM <sub>10</sub>
Unit of measure:	Micrograms per cubic metre (µg/m3)
Monitoring location:	See Table 1 and Appendix A.
Monitoring frequency required by licence:	10-minute intervals
Sampled:	01/01/2022 - 31/01/2022





ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

#### Table 1. PM10 Monitoring Summary

Sai	npling point	No. of samples required by licence	No. of samples collected and analysed	Minimum sample value	Maximum sample value	Monthly mean of sample
EPA22	Lumeah Dairy, Bengalla Road, Muswellbrook	4464	4455	0	115.5	10.0
EPA23	Wybong Road (East), Muswellbrook	The equipment at EPA23 was removed at 9:50am on 27/10/2021 due to impending blasting operations on 29/10/2021. This monitor is in the direct path of mining and will not be reinstated at this location. BMC will remove this monitoring point when the next Variation for EPL 6538 is lodged with the NSW Environment Protection Authority.				
EPA24	Wybong Road (West), Muswellbrook	4464	4459	0	48.7	10.4

(Table 1 represents total impact (ie incremental increase in concentration due to the development plus background concentrations due to other sources))

## **3. SURFACE WATER**

### 3.1 Discharge Monitoring

BMC participates in the Hunter River Salinity Trading Scheme (**HRSTS**). In accordance with EPL 6538, BMC maintains two monitoring locations to measure concentration, volume and mass of mine water discharges (see **Appendix B**).

#### 3.1.1 Volume

Pollutant:	Mine water
Unit of measure:	Mega litres per day ( <b>ML/day</b> )
Monitoring location:	EPA26 – Outlet pipe from 700 ML HRSTS storage dam.
Monitoring frequency required by licence:	Continuous during all discharge events.
Volume/mass limit:	200 ML/day
Sampled:	During the Reporting Period, Bengalla discharged 0.4ML of mine water under the HRSTS during Block No 24 (4:00am 22 <sup>nd</sup> January 2022 to 4:00am 23 <sup>rd</sup> January 2022);





ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

3.1.2 Conductivity	
Pollutant:	Conductivity
Unit of measure:	Microsiemens per centimetre (µS/cm)
Monitoring location:	EPA26 – Outlet pipe from 700 ML HRSTS storage dam.
Monitoring frequency required by licence:	Continuous during all discharge events (EPA26)
Sampled:	See Table 2.

Table 2: Electrical Conductivity Summary for EPA26 (22/1/2022 – 23/1/2022)

Discharge Block Number	No. of records
22	86





**ABN** 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

3.1.3 Total suspended solids and pH			
Pollutants:	pH and Total Suspended Solids ( <b>TSS</b> )		
Unit of measure:	pH and Milligrams per litre ( <b>mg/L</b> )		
Monitoring location:	EPA26 – Outlet pipe from 700 ML HRSTS storage dam.		
Monitoring frequency required by licence:	Daily during all discharge events		
pH limit:	6.5 – 9.5 (100 <sup>th</sup> percentile)		
TSS limit:	120 (100 <sup>th</sup> percentile)		
Sampled:	See Tables 3 & 4		

Table 3: Total Suspended Solids Summary – EPA26 (22/1/2022 – 23/1/2022)

Block Number	No of Samples collected and analysed	Minimum sample value mg/L	Maximum sample value mg/L	Average sample value mg/L
22	1	-	-	8.75

Table 4: pH Summary - EPA26 (22/1/2022 - 23/1/2022)

Block Number	No of Samples collected and analysed	Minimum sample value mg/L	Maximum sample value mg/L	Average sample value mg/L
22	1	-	-	55

#### 3.2 Effluent Quality Monitoring

Under EPL 6538 BMC is required to take quarterly grab samples from effluent quality monitoring point EPA25.

Pollutants:	Faecal Coliforms and pH
Unit of measure:	Colony Forming Units (CFU) per 100 millilitres ( <b>CFU/100mL</b> ) and pH
Monitoring location:	EPA25 – See <b>Appendix B</b> .





ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

Monitoring frequency required by licence:

Quarterly

Sampled:

Not applicable to January

## 4. NOISE

In accordance with EPL 6538, BMC undertakes compliance attended noise monitoring for 15minutes once per calendar month during the night period (10 pm to 7 am) at three locations representative of the nearest private receivers.

Noise monitoring data for the Reporting Period is provided in Table 5.

Pollutant:	Noise – Bengalla Only
Unit of measure:	LAeq (15 minute)
Monitoring locations:	See Table 6 and Appendix C.
Monitoring frequency required by licence:	Monthly
EPA7/AN01 limit:	35 dB(A)
EPA9/AN04 limit:	35 dB(A)
EPA8/AN03 limit:	40 dB(A)
Sampled:	29 January 2022





#### Bengalla Mining Company Pty Limited

	ABN 32 053 909 470	bengalla.com.au
PE	Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia	T: +61 2 6542 9500 F: +61 2 6542 9599

#### Table 5: Noise – Bengalla Only<sup>1</sup> LAeq (15 minute) Monitoring Summary

Sampling point	No. of samples required by licence	No. of samples taken and analysed	Sample Date	Sample Time	Measured value
EPA07/AN01	1	1	29/1/2022	01:17 – 01:32	31
EPA08/AN03	1	1	29/1/2022	01:51 – 02:06	IA
EPA09/AN04	1	1	29/1/2022	02:21 – 02:36	IA

Note:

IA - Inaudible. When there was no noise from the source of interest (Bengalla Mine) audible at the monitoring location.

1. LAeq,15minute operational noise levels for Bengalla in the absence of all other noise sources.

Operator, for and on behalf of Bengalla Joint Venture, an unincorporated joint venture between: New Hope Bengalla Pty Ltd, Taipower Bengalla Pty Limited.

www.bengalla.com.au





ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

#### 5. BLASTING

In accordance with EPL 6538, BMC maintains three blast monitors on private (non-mine owned) land to measure air-blast overpressure and ground vibration for all blast events undertaken at Bengalla.

Overpressure and ground vibration data for the Reporting Period is provided in Tables 7 and 8.

Pollutant:	Air blast overpressure & ground vibration peak particle velocity			
Unit of measure:	dB (Lin Peak) and millimetres per second (mm/s)			
Monitoring locations:	See Table 7, Table 8 and Appendix C.			
Monitoring frequency required by licence:	All blasts			
Overpressure limits:	<ul> <li>a) 115 linear decibels (dB(L)) for more than 5% of the total number of blasts carried out on the premises within the 12 months annual reporting period; and</li> </ul>			
	b) 120 dB(L) at any time			
Ground vibration limits:	<ul> <li>a) exceed 5 millimetres/second (mm/s) for more than 5% of the total number of blasts carried out on the premises within the 12 months annual reporting period; and</li> <li>b) 10mm/a et any time</li> </ul>			
	b) 10mm/s at any time			
Sampled:	01/01/2022 – 31/01/2022			





#### Bengalla Mining Company Pty Limited

<b>ABN</b> 32 053 909 470	bengalla.com.au
Bengalla Road (Locked Mailbag 5)	T: +61 2 6542 9500
Muswellbrook NSW 2333 Australia	F: +61 2 6542 9599

Table 6: Blast Vibration Monitoring Summary


Sampling point	Pollutant	Unit of measure	No. of samples required by licence	No. of samples collected and analysed	Minimum value	Maximum value	Mean of samples
BLK (EPA20)	Overpressure	dB(L)	All blast events	12	0.03	0.38	0.15
SCH (EPA19)	Overpressure	dB(L)	All blast events	12	0.01	0.19	0.08
MRE (EPA12)	Overpressure	dB(L)	All blast events	12	0.08	2.00	0.91

#### **Table 7: Blast Overpressure Monitoring Summary**

Sampling point	Pollutant	Unit of measure	No. of samples required by licence	No. of samples collected and analysed	Minimum value	Maximum value	Mean of samples
BLK (EPA20)	Ground vibration	mm/s	All blast events	12	86.0	109.1	95.7
SCH (EPA19)	Ground vibration	mm/s	All blast events	12	86.3	99.4	90.8
MRE (EPA12)	Ground vibration	mm/s	All blast events	12	91.2	108.0	99.8

# Appendix A

**EPL 6538 Particulate Matter Monitoring Locations** 






Hansen Bailey

D will T102 8082, downiet principally placed sk brainet laurgrane Donth obspred 5981 and Transreguenth & UA2408884

## Appendix B

**EPL 6538 Surface Water Monitoring Locations** 



A VeR 0202/70/ES 1eteW

743

EPL 6538 Monitoring Points - Water




EPL 6538 Effluent Quality Monitoring Location

PRJ32266 BengaliaMineNSW 50cm 25072018 gd994mm4866 onto full-area

# Appendix C

EPL 6538 Noise and Blast Monitoring Locations



EPL 6538 Noise & Blast Monitoring Locations

Hansen Bailey