



Bengalla Mining Company Pty. Limited

Bengalla Road, (Locked Mailbag 5)

Muswellbrook NSW 2333 Australia

A.B.N. 32 053 909 470

Bengalla Mine

State Significant Development 5170 Monthly Monitoring Data Summary

August 2018



CONTENTS

1. INTRODUCTION	1
2. AIR QUALITY	2
3. NOISE	6
4. BLASTING	7

TABLES

Table 1. PM ₁₀ Monitoring Summary	2
Table 2. TSP Monitoring Summary	3
Table 3. Depositional Dust Monitoring Summary	5
Table 4. Noise – Bengalla Only ¹ LAeq (15 minute) Monitoring Summary	6
Table 5. Blast Overpressure Monitoring Summary	8



1. INTRODUCTION

State Significant Development (SSD) 5170 requires the Bengalla Mining Company Pty Ltd (BMC) to make a comprehensive summary of the Bengalla Mine (Bengalla) monitoring results, reported in accordance with the specifications in any conditions of SSD-5170, or any approved plans and programs, publicly available on its website. This document has been prepared in accordance with the Department of Planning and Environment (DPE) *Web-Based Reporting Guideline* (October 2015) to satisfy the above requirement.

This document provides a summary of environmental monitoring data sampled as prescribed by SSD-5170 for August 2018 (Reporting Period). Monitoring data provided is as follows:

- Air quality, particulate matter less than 10 microns (PM₁₀), total suspended particulate (TSP) matter and depositional dust;
- Noise; and
- Blast overpressure and ground vibration.

Monitoring Data Obtained: 13 September 2018

Monitoring Data Published: 24 September 2018



2. AIR QUALITY

The air quality monitoring program at Bengalla is undertaken in accordance with the requirements of SSD-5170 (as modified), EPL 6538 and the Bengalla Air Quality Management Plan (AQMP). Air quality monitoring results relevant to SSD-5170 are summarised in the following sections.

2.1 Particulate Matter less than 10 Microns

To evaluate the performance of Bengalla against the SSD-5170 criterion for particulate matter, BMC operates and maintains three High Volume Air Samplers (HVAS) measuring PM₁₀. Additional, PM₁₀ data is sourced from Mt Arthur Coal through an information sharing agreement. The HVAS are run for 24 hours every six days.

PM₁₀ data for the Reporting Period is provided in **Table 1**.

Pollutant:	PM ₁₀
Unit of measure:	Micrograms per cubic metre (µg/m ³)
Monitoring location:	See Table 1 and Appendix A .
Monitoring frequency:	24 hours every 6 days
24 Hour Average Criteria:	50 µg/m ³
Annual Average Criteria:	90 µg/m ³
Sampled:	05/08/2018 – 29/08/2018

Table 1. PM₁₀ Monitoring Summary

Run Date	Run Date Reading (µg/m ³)			
	PM10-1 Racecourse Road	PM10-2 St James School	PM10-3* Roxburgh Road	PM10-4 Wybong Road
05/08/2018	26	22	22	32
11/08/2018	32	29	16	19
17/08/2018	32	26	21	41
23/08/2018	18	18	33	65
29/08/2018	21	22	31	29

* Data sourced from Mt Arthur Coal

For the Reporting Period, one elevated 24-hour average PM₁₀ reading was recorded at PM10-4.



2.2 Total Suspended Particle Matter

To evaluate the performance of Bengalla against the SSD-5170 criterion for particulate matter, BMC operates and maintains five HVAS measuring TSP. The HVAS are run for 24 hours every six days.

TSP data for the Reporting Period is provided in **Table 2**.

Pollutant:	TSP
Unit of measure:	µg/m ³
Monitoring location:	See Table 2 and Appendix B .
Monitoring frequency:	24 hours every 6 days
Annual Average Criteria:	90 µg/m ³
Sampled:	05/08/2018 – 29/08/2018

Table 2. TSP Monitoring Summary

Run Date	Run Date Reading (µg/m ³)				
	HV01 Wybong Road (East)	HV02 Racecourse Road	HV03 Logues Lane	HV04 St James School	HV06 Wybong Road (West)
05/08/2018	86	54	41	50	79
11/08/2018	115	96	95	87	47
17/08/2018	121	89	85	98	83
23/08/2018	71	57	57	55	191
29/08/2018	125	74	54	79	89



2.3 Depositional Dust

To evaluate the performance of Bengalla against the SSD-5170 criterion for depositional dust, BMC operates and maintains 14 depositional dust gauges surrounding the Bengalla operations.

Depositional dust data for the Reporting Period is provided in **Table 3**.

Pollutant:	Depositional Dust
Unit of measure:	Grams per metre squared per month (g/m ² /month)
Monitoring location:	See Table 3 and Appendix C .
Monitoring frequency:	Monthly
Maximum depositional dust increase criteria:	2 g/m ² /month
Maximum total depositional dust criteria:	4 g/m ² /month
Sampled:	16/07/2018 – 17/08/2018



Bengalla Mining Company Pty. Limited

Bengalla Road, (Locked Mailbag 5)

Muswellbrook NSW 2333 Australia

A.B.N. 32 053 909 470

Table 3. Depositional Dust Monitoring Summary

Sampling point		Measured Value	Sampling Comments
D01	Queen Street, Muswellbrook	0.8	Insects
D02	King Street, Muswellbrook	1.1	Insects
D04A	Industrial Estate, Muswellbrook	2.2	Insects, bird droppings
D05	Intersection Kayuga and Wybong Road, Muswellbrook	-	Gauge missing
D06	Logues Lane, Muswellbrook	1.8	Insects, vegetation
D07A	St James School, Muswellbrook	2.0	Insects, bird droppings
D08	Denman Road, Muswellbrook	1.8	Insects
D09	Wybong Road, Muswellbrook	2.4	Insects
D10	Racecourse Road, Muswellbrook	4.1	Insects
D20	Wyndams Arms R.O.W., Muswellbrook	1.5	Insects, vegetation
D23B	Logues Lane, Muswellbrook	1.5	Insects
D25	Roxburgh Road, Muswellbrook	1.6	Insects
D26	Wybong Road, Muswellbrook	1.1	Insects
DA	Roxburgh Road, Muswellbrook	0.9	Insects



3. NOISE

The noise monitoring program at Bengalla is undertaken in accordance with the requirements of SSD-5170 (as modified), EPL 6538 and the Bengalla Noise Management Plan (NMP).

BMC undertakes compliance attended noise monitoring for 15 minutes once per calendar month during the night period (10 pm to 7 am) at three locations representative of the nearest private receivers.

Noise monitoring data for the Reporting Period is provided in **Table 4**.

Pollutant:	Noise – Bengalla Only
Unit of measure:	L _{Aeq} (15 minute)
Monitoring location:	See Table 4 and Appendix D .
Monitoring frequency:	Monthly
AN01 criteria:	35 dB(A)
AN04 criteria:	35 dB(A)
AN03 criteria:	40 dB(A)
Sampled:	27-28 August 2018

Table 4. Noise – Bengalla Only¹ LAeq (15 minute) Monitoring Summary

Sampling point		Sample Date	Sample Time	Measured value
AN01	1431 Wybong Road	27/08/18	23:18	29
AN03	1312 Denman Road	27/08/18	23:53	28
AN04	Opposite 9 Racecourse Road	28/08/18	00:23	IA

1. LAeq, 15 minute operational noise levels for Bengalla in the absence of all other noise sources.

IA - Inaudible. When there was no noise from the source of interest (Bengalla Mine) audible at the monitoring location.

For the Reporting Period noise data were below the SSD-5170 criteria.



4. BLASTING

BMC maintains three blast monitors to measure blast overpressure and ground vibration against the SSD-5170 criteria.

The blast overpressure and ground vibration data for the Reporting Period is provided in **Table 5**.

Pollutant:	Air blast overpressure & ground vibration peak particle velocity
Unit of measure:	dB (Lin Peak) and millimetres per second (mm/s)
Monitoring locations:	See Tables 5 and Appendix D .
Monitoring frequency:	All blasts
Overpressure criteria:	a) 115 linear decibels (dB(L)) for more than 5% of the total number of blasts carried out on the premises within the 12 months annual reporting period; and b) 120 dB(L) at any time.
Ground vibration criteria:	a) exceed 5 millimetres/second (mm/s) for more than 5% of the total number of blasts carried out on the premises within the 12 months annual reporting period; and b) 10mm/s at any time.
Sampled:	01/08/2018 – 31/08/2018



Table 5. Blast Overpressure Monitoring Summary

Date	Time of Blast	Ground Vibration (mm/s)			Overpressure (dBL)		
		BLK	MRE	SCH	BLK	MRE	SCH
01/08/18	11:13:22 AM	0.09	0.53	0.02	94	100	91
03/08/18	4:02:44 PM	0.06	0.33	0.04	86	93	93
04/08/18	10:57:59 AM	0.21	0.98	0.12	101	108	94
09/08/19	3:04:34 PM	0.12	0.70	0.04	91	94	90
09/08/18	3:05:55 PM	0.20	1.58	0.06	96	99	92
10/08/18	4:24:26 AM	0.20	1.09	0.06	97	103	96
13/08/18	11:07:48 AM	0.10	0.58	0.03	104	99	97
16/08/18	10:30:44 AM	0.04	0.14	0.03	106	114	105
16/08/18	10:31:46 AM	0.12	0.69	0.11	100	111	108
17/08/18	10:52:26 AM	0.20	1.23	0.07	88	92	102
20/08/18	11:33:54 AM	0.19	1.43	0.05	96	100	95
21/08/18	8:56:26 AM	0.16	1.28	0.06	103	107	98
22/08/18	11:10:05 AM	0.34	1.60	0.18	95	90	91
24/08/18	3:12:50 PM	0.09	1.10	0.03	103	100	93
24/08/18	3:14:51 PM	0.11	1.12	0.05	103	113	96
27/08/18	10:54:54 AM	0.30	1.91	0.10	95	100	95
29/08/18	3:06:25 PM	0.25	2.06	0.13	101	93	90
30/08/18	4:38:51 PM	0.06	0.46	0.03	92	102	91

For the Reporting Period, overpressure and ground vibration data were below the maximum criteria and within the 5% allowance limit.

Appendix A

PM10 Monitoring Locations

PRJ31060_BengallaMineNSW_50cm_19102017_gda604.mga56_ortho_full-area



BENGALLA MINE
PM10 Monitoring Locations

Appendix B

TSP Monitoring Locations

PRJ31060_BengallaMineNSW_50cm_19102017_gda94mga56_ortho_full-area



BENGALLA MINE
TSP Monitoring Locations

Appendix C

Depositional Dust Monitoring Locations


PRJ31060_BengallaMineNSW_50cm_19102017_gda94mga56_ortho_full-area



BENGALLA MINE
Depositional Dust Monitoring Locations

Appendix D

Noise and Blast Monitoring Locations



BENGALLA MINE



Hansen Bailey
Acoustic Monitoring Services

Bengalla Compliance Acoustic Monitoring Network

FIGURE 1