



Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

Bengalla Mine

Environment Protection Licence 6538 Monthly Monitoring Data Summary

October 2022





Bengalla Mining Company Pty Limited Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

Contents

| 1. | INTRODUCTION | 3 |
|-----|--|----|
| 2. | AIR QUALITY | 4 |
| 3. | SURFACE WATER | 6 |
| 4. | NOISE | 8 |
| 5. | BLASTING | 10 |
| Та | ables | |
| Tal | able 1. PM10 Monitoring Summary | 5 |
| Tal | able 2: Electrical Conductivity Summary for EPA26 (1/10/2022 – 30/10/2022) | 7 |
| Tal | able 3: Total Suspended Solids Summary – EPA26 (1/10/2022 – 30/10/2022) | 7 |
| Tal | able 4: pH Summary – EPA26 (1/10/2022 – 30/10/2022) | 7 |
| Tal | able 5 Noise – Bengalla Only¹ LAeq (15 minute) Monitoring Summary | 9 |
| Tal | able 6: Blast Overpressure Monitoring Summary | 11 |
| Tal | able 7: Blast Vibration Monitoring Summary | 11 |





Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

1. INTRODUCTION

Environmental Protection Licence (EPL) holders are required under the *Protection of the Environment Operations Act 1997* to make publicly available their monitoring results for those parameters specified in the EPL. This document has been prepared to satisfy this requirement.

Bengalla Mining Company Pty Limited's (BMC) operations are conducted in accordance with EPL 6538. The licence details are as follows:

License Holder: Bengalla Mining Company Pty Limited

Licence Number: 6538

Premises: Bengalla Mine

Bengalla Road via

Muswellbrook NSW 2333

Access to Licence: http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=6538&id=6538&

option=licence&searchrange=licence&range=POEO

licence&prp=no&status=Issued

Monitoring Locations: See main text and **Appendix A**

This document provides a summary of environmental monitoring data sampled as prescribed by EPL 6538 for October 2022 (Reporting Period). Monitoring data provided is as follows:

- Air quality, particulate matter less than 10 microns (PM₁₀);
- Surface water, including discharge mine water and effluent water;
- Noise; and
- Blast vibration and overpressure.





Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

2. AIR QUALITY

Under EPL 6538 BMC is required to continuously record the average PM_{10} concentration at EPA Monitoring Points 22, 23 and 24 at intervals of 10 minutes. As per Condition M2.2, BMC commenced monitoring at these EPA Monitoring Points on 31 August 2017.

PM₁₀ data for the Reporting Period is provided in **Table 1**.

2.1 Particulate Matter less than 10 Microns

| Pollutant: | PM ₁₀ |
|---|------------------------------------|
| Unit of measure: | Micrograms per cubic metre (µg/m3) |
| Monitoring location: | See Table 1 and Appendix A. |
| Monitoring frequency required by licence: | 10-minute intervals |
| Sampled: | 01/10/2022 — 31/10/2022 |





Bengalla Mining Company Pty Limited Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

Table 1. PM10 Monitoring Summary

| Samı | oling point | No. of samples required by licence | No. of samples collected and analysed | Minimum sample value | Maximum sample value | Monthly mean of sample |
|-------|---|--|---|--|--|--------------------------------|
| EPA22 | Lumeah Dairy, Bengalla Road, Muswellbrook | 4464 | 4458 | 0 | 113.2 | 7.14 |
| EPA23 | Wybong Road (East), Muswellbrook | impending bla of mining a | ment at EPA23 w sting operations on the mill not be reid int when the next Environi | on 29/10/2021. T Instated at this loo | This monitor is in cation. BMC will i L 6538 is lodged | the direct path remove this |
| EPA24 | Wybong Road (West), Muswellbrook | 4464 | 4458 | 0 | 70.9 | 7.38 |

(Table 1 represents total impact (ie incremental increase in concentration due to the development plus background concentrations due to other sources))





Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

3. SURFACE WATER

3.1 Discharge Monitoring

BMC participates in the Hunter River Salinity Trading Scheme (**HRSTS**). In accordance with EPL 6538, BMC maintains two monitoring locations to measure concentration, volume and mass of mine water discharges (see **Appendix B**).

3.1.1 Volume

Pollutant: Mine water

Unit of measure: Mega litres per day (ML/day)

Monitoring location: EPA26 - Outlet pipe from 700 ML HRSTS storage

dam.

Monitoring frequency required by Continuous during all discharge events.

licence:

Volume/mass limit: 200 ML/day

Sampled: During the Reporting Period, Bengalla discharged

172.3ML of mine water under the HRSTS.

26.9ML was discharged during Block No 300 (4:00am 25th October 2022 to 4:00am 26th October 2022);

98.7ML was discharged during Block No 301 (4:00am 26^{th} October 2022 to 4:00am 27^{th} October 2022);

46.7ML was discharged during Block No 302(1 and 2) (4:00am 27th October 2022 to 4:00am 28th October

2022)

3.1.2 Conductivity

Pollutant: Conductivity

Unit of measure: Microsiemens per centimetre (µS/cm)

Monitoring location: EPA26 – Outlet pipe from 700 ML HRSTS storage

dam.

Monitoring frequency required by licence:

Continuous during all discharge events (EPA26)

Operator, for and on behalf of Bengalla Joint Venture, an unincorporated joint venture between: New Hope Bengalla Pty Ltd, Taipower Bengalla Pty Limited.





Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

T: +61 2 6542 9500 F: +61 2 6542 9599 bengalla.com.au

ABN 32 053 909 470

See Table 2

Table 2: Electrical Conductivity Summary for EPA26 (1/10/2022 – 31/10/2022)

 Discharge Block
 No. of records

 Number
 300(1)

 301(1)
 1021

 302(1 and 2)
 503

3.1.3 Total suspended solids and pH

Pollutants: pH and Total Suspended Solids (TSS)

Unit of measure: pH and Milligrams per litre (mg/L)

Monitoring location: EPA26 - Outlet pipe from 700 ML HRSTS

storage dam.

Monitoring frequency required by

licence:

Sampled:

Daily during all discharge events

pH limit: $6.5 - 9.5 (100^{th} \text{ percentile})$

TSS limit: 120 (100th percentile)

Sampled: See Tables 3 & 4

Table 3: Total Suspended Solids Summary – EPA26 (1/10/2022 – 31/10/2022)

| Block Number | No of Samples collected and analysed | Sample value mg/L |
|-----------------|--------------------------------------|-------------------|
| 300(1) | 1 | 15 |
| 301(1) | 1 | 9 |
| 302(1 and 2) | 1 | 13 |

(Monitored daily during discharge via grab sample as per EPL 6538 Condition M2.3)

Table 4: pH Summary - EPA26 (1/10/2022 - 31/10/2022)

| Block Number | No of Samples collected and analysed | Sample value pH |
|-----------------|---|-----------------|
| 300(1) | 1 | 9.07 |
| 301(1) | 1 | 9.06 |
| 302(1 and 2) | 1 | 9.05 |

(Monitored daily during discharge via grab sample as per EPL 6538 Condition M2.3)





Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470 **bengalla.com.au**

T: +61 2 6542 9500

F: +61 2 6542 9599

3.2 Effluent Quality Monitoring

| Under EPL | . 6538 I | BMC is | required | to take | quarterly | grab | samples | from | effluent | quality | monito | ring |
|------------|----------|--------|----------|---------|-----------|------|---------|------|----------|---------|--------|------|
| point EPA2 | 25. | | | | | | | | | | | |

Pollutants: Faecal Coliforms and pH

Unit of measure: Colony Forming Units (CFU) per 100 millilitres

(CFU/100mL) and pH

Monitoring location: EPA25 – See Appendix B.

Monitoring frequency required by licence: Quarterly

Sampled: Not applicable to October

4. NOISE

In accordance with EPL 6538, BMC undertakes compliance attended noise monitoring for 15minutes once per calendar month during the night period (10 pm to 7 am) at three locations representative of the nearest private receivers.

Noise monitoring data for the Reporting Period is provided in Table 2.

Pollutant: Noise – Bengalla Only

Unit of measure: LAeq (15 minute)

Monitoring locations: See Table 5 and Appendix C.

Monitoring frequency required by

licence:

Monthly

EPA7/AN01 limit: 35 dB(A)

EPA9/AN04 limit: 35 dB(A)

EPA8/AN03 limit: 40 dB(A)

Sampled: 27 October 2022





Bengalla Mining Company Pty Limited Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

Table 5 Noise – Bengalla Only¹ LAeq (15 minute) Monitoring Summary

| Sampling point | No. of samples required by licence | No. of samples taken and analysed | Sample Date | Sample Time | Measured value (dB(A)) |
|----------------|--|-----------------------------------|----------------|---------------|------------------------------|
| EPA07/AN01 | 1 | 1 | 27/10/2022 | 01:36 – 01:51 | IA |
| EPA08/AN03 | 1 | 1 | 27/10/2022 | 02:08 - 02:23 | IA |
| EPA09/AN04 | 1 | 1 | 27/10/2022 | 02:39 – 02:54 | 34 |

Note:

IA - Inaudible. When there was no noise from the source of interest (Bengalla Mine) audible at the monitoring location.

1. LAeq,15minute operational noise levels for Bengalla in the absence of all other noise sources.



Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470 bengalla.com.au

T: +61 2 6542 9500

F: +61 2 6542 9599

BLASTING

5.

In accordance with EPL 6538, BMC maintains three blast monitors on private (non-mine owned) land to measure air-blast overpressure and ground vibration for all blast events undertaken at Bengalla.

The blast overpressure and ground vibration data for the Reporting Period is provided in Tables 6 and 7.

Pollutant: Air blast overpressure & ground vibration peak particle velocity

Unit of measure: dB (Lin Peak) and millimetres per second (mm/s)

Monitoring locations: See Table 6, Table 7 and Appendix C.

Monitoring frequency required by licence:

All blasts

Overpressure limits: a) 115 linear decibels (dB(L)) for more than 5% of the total number of blasts

carried out on the premises within the 12 months annual reporting period;

and

b) 120 dB(L) at any time

Ground vibration limits: a) exceed 5 millimetres/second (mm/s) for more than 5% of the total number

of blasts carried out on the premises within the 12 months annual reporting

period; and

b) 10mm/s at any time

01/10/2022 - 31/10/2022 Sampled:



Bengalla Road (Locked Mailbag 5) Muswellbrook NSW 2333 Australia

ABN 32 053 909 470

T: +61 2 6542 9500 F: +61 2 6542 9599

bengalla.com.au

Table 6: Blast Overpressure Monitoring Summary

| Sampling point | Pollutant | Unit of measure | No. of samples required by licence | No. of samples collected and analysed | Minimum value | Maximum value | Mean of samples |
|----------------|--------------|-----------------|------------------------------------|---------------------------------------|---------------|---------------|-----------------|
| BLK (EPA20) | Overpressure | dB(L) | All blast events | 14 | 81.80 | 116.30 | 98.84 |
| SCH (EPA19) | Overpressure | dB(L) | All blast events | 14 | 83.40 | 105.60 | 93.00 |
| MRE (EPA12) | Overpressure | dB(L) | All blast events | 14 | 90.70 | 115.7 | 102.88 |

Table 7: Blast Vibration Monitoring Summary

| Sampling point | Pollutant | Unit of measure | No. of samples required by licence | No. of samples collected and analysed | Minimum value | Maximum value | Mean of samples |
|----------------|------------------|-----------------|------------------------------------|---------------------------------------|---------------|---------------|-----------------|
| BLK (EPA20) | Ground vibration | mm/s | All blast events | 14 | 0.06 | 0.40 | 0.17 |
| SCH (EPA19) | Ground vibration | mm/s | All blast events | 14 | 0.03 | 0.26 | 0.09 |
| MRE (EPA12) | Ground vibration | mm/s | All blast events | 14 | 0.34 | 3.45 | 1.16 |

Operator, for and on behalf of Bengalla Joint Venture, an unincorporated joint venture between: New Hope Bengalla Pty Ltd, Taipower Bengalla Pty Limited.

Appendix A

EPL 6538 Particulate Matter Monitoring Locations

EPL 6538 PM10 Monitoring Locations





Appendix B

EPL 6538 Surface Water Monitoring Locations

EPL 6538 Monitoring Points - Water

Aerial photo captured 22/01/2020 Coordinates are approximate only Coordinate system MGA zone 56 GDA 94 Bengalla Mine











BENGALLA

Appendix C

EPL 6538 Noise and Blast Monitoring Locations



EPL 6538 Noise & Blast Monitoring Locations